

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 2

Dkt. No. 2271/71058

**Listing of Claims**

The following listing of claims will replace all prior versions, and listings, of claims in the subject application:

Claim 1 (previously presented): An information processing apparatus comprising:

a drawing omission determination unit that determines whether drawing process corresponding to a graphical drawing instruction, out of a plurality of graphical drawing instructions, can be omitted based on a drawing attribute of a pattern corresponding to the graphical drawing instruction;

a selection unit that makes the graphical drawing instruction invalid if the drawing omission determination unit determines that the drawing process can be omitted, and makes other graphical drawing instructions valid; and

an output unit that outputs to an information formation apparatus the other graphical drawing instructions to obtain an image corresponding to the other graphical drawing instructions which are executed.

Claim 2 (original): The information processing apparatus according to claim 1, wherein

the graphical drawing instruction is described in a page description language that includes a basic graphical drawing instruction which specifies a pattern to be drawn, and a drawing attribute instruction which specifies the drawing attribute.

Claim 3 (original): The information processing apparatus according to claim 1, wherein

the drawing attribute includes information about a color of a pattern concerning the

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 3

Dkt. No. 2271/71058

graphical drawing instruction and a method for performing the drawing process.

Claim 4 (original): The information processing apparatus according to claim 3, wherein

the drawing omission determination unit determines that the drawing process can be omitted when the drawing attribute of a pattern concerning the graphical drawing instruction does not change the contents of a memory at a drawing destination before and after the drawing process regardless of the contents of the memory.

Claim 5 (original): The information processing apparatus according to claim 4, wherein

the drawing omission determination unit determines that the drawing process can be omitted when it is determined from the drawing attribute of a pattern concerning the graphical drawing instruction and a method for performing the drawing process that the contents of a memory at a drawing destination are not changed before and after the drawing process regardless of the contents of the memory.

Claim 6 (original): The information processing apparatus according to claim 5, wherein

the drawing omission determination unit determines that the drawing process can be omitted when the color density is the lowest and also when the method is a logical sum (OR) among the drawing attributes of a pattern concerning the graphical drawing instruction.

Claim 7 (original): The information processing apparatus according to claim 1, wherein

the drawing omission determination unit determines that the drawing process can be omitted when a memory at a drawing destination is in an initialized state.

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 4

Dkt. No. 2271/71058

Claim 8 (original): The information processing apparatus according to claim 1, further comprising an output status flag that indicates whether the selection unit has already set a certain graphical drawing instruction valid, wherein

the drawing omission determination unit determines whether the drawing process can be omitted based on the state of the output status flag.

Claim 9 (original): The information processing apparatus according to claim 8, wherein

the drawing omission determination unit determines that the drawing process can be omitted when the output status flag indicates that the graphical drawing instruction is not yet set valid, and also when the drawing attribute of a pattern concerning the graphical drawing instruction does not change the contents of a memory at a drawing destination before and after the drawing process when the memory is in an initialized state even when the drawing process is carried out..

Claim 10 (original): The information processing apparatus according to claim 8, wherein

the drawing omission determination unit determines that the drawing process can be omitted when the output status flag indicates that the graphical drawing instruction is not yet set valid, when the color density is the lowest and also when a method for performing the drawing process is a replacement (SET) among the drawing attributes of a pattern concerning the graphical drawing instruction.

Claim 11 (original): The information processing apparatus according to claim 8, wherein

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 5

Dkt. No. 2271/71058

the drawing omission determination unit determines that the drawing process can be omitted when the output status flag indicates that the graphical drawing instruction is not yet set valid, when the color density is the lowest and also when a method for performing the drawing process is a logical sum (OR) among the drawing attributes of a pattern concerning the graphical drawing instruction.

Claim 12 (original): The information processing apparatus according to claim 8, wherein

the drawing omission determination unit determines that the drawing process can be omitted when the output status flag indicates that the graphical drawing instruction is not yet set valid, when the color density is the lowest and also when a method for performing the drawing process is an exclusive logical sum (XOR) among the drawing attributes of a pattern concerning the graphical drawing instruction.

Claim 13 (original): The information processing apparatus according to claim 8, wherein

the drawing omission determination unit determines that the drawing process can be omitted when the output status flag indicates that the graphical drawing instruction is not yet set valid, when a method of the drawing process is a logical product (AND) among the drawing attributes of a pattern concerning the graphical drawing instruction.

Claim 14 (original): The information processing apparatus according to claim 8, wherein

the output status flag indicates whether the selection unit has already set a certain graphical drawing instruction valid for each graphical drawing instruction concerning an image for one page.

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 6

Dkt. No. 2271/71058

Claim 15 (original): The information processing apparatus according to claim 8, wherein  
one page is divided into specific number of determination regions, and the output status  
flag is provided for each determination region, and

the drawing omission determination unit determines whether the drawing can be omitted  
based on the status of the output status flag for each determination region to which a drawing  
region concerning the graphical drawing instruction belongs.

Claim 16 (original): The information processing apparatus according to claim 15, wherein  
the determination regions are decided based on bands.

Claim 17 (original): The information processing apparatus according to claim 1, wherein  
when the graphical drawing instruction concerns a pattern of a color, the drawing  
omission determination unit determines whether the drawing process can be omitted for each  
color plane of the color.

Claim 18 (original): The information processing apparatus according to claim 1, wherein  
the drawing omission determination unit determines whether the drawing process can be  
omitted only when a pattern concerning the graphical drawing instruction is a graphic pattern.

Claim 19 (original): The information processing apparatus according to claim 1, wherein  
when a pattern concerning the graphical drawing instruction is an image pattern, the  
drawing omission determination unit detects continuous pixels of the same color within the

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 7

Dkt. No. 2271/71058

image pattern, and determines whether the drawing process can be omitted for each portion of continuous pixels.

Claim 20 (original): The information processing apparatus according to claim 1, wherein

when a pattern concerning the graphical drawing instruction is an image pattern, the drawing omission determination unit determines whether the drawing process can be omitted of the image pattern in a word length unit.

Claim 21 (original): The information processing apparatus according to claim 1, wherein

the output unit outputs the other graphical drawing instructions to the image formation apparatus one-by-one.

Claim 22 (original): The information processing apparatus according to claim 1, further comprising a drawing data memory that stores the other graphical drawing instructions, wherein

the output unit outputs the other graphical drawing instructions stored in the drawing data memory to the image formation apparatus altogether.

Claim 23 (original): An image formation apparatus comprising:

a page memory;

a drawing omission determination unit that determines whether drawing process corresponding to a graphical drawing instruction, out of a plurality of graphical drawing instructions, can be omitted based on a drawing attribute of a pattern corresponding to the graphical drawing instruction;

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 8

Dkt. No. 2271/71058

a selection unit that makes the graphical drawing instruction invalid if the drawing omission determination unit determines that the drawing process can be omitted, and makes other graphical drawing instructions valid;

a drawing unit that performs the drawing process to draws an image onto the page memory based on the other graphical drawing instructions; and

an image formation unit that forms an image onto a recording medium paper based on the image on the page memory.

Claim 24 (original): The image formation apparatus according to claim 23, wherein

the graphical drawing instruction is described in a page description language that includes a basic graphical drawing instruction which specifies a pattern to be drawn, and a drawing attribute instruction which specifies the drawing attribute.

Claim 25 (original): The image formation apparatus according to claim 23, wherein

the drawing attribute includes information about a color of a pattern concerning the graphical drawing instruction and a method for performing the drawing process.

Claim 26 (original): The image formation apparatus according to claim 25, wherein

the drawing omission determination unit determines that the drawing process can be omitted when the drawing attribute of a pattern concerning the graphical drawing instruction does not change the contents of a memory at a drawing destination before and after the drawing process regardless of the contents of the memory.

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 9

Dkt. No. 2271/71058

Claim 27 (original): The image formation apparatus according to claim 26, wherein

the drawing omission determination unit determines that the drawing process can be omitted when it is determined from the drawing attribute of a pattern concerning the graphical drawing instruction and a method for performing the drawing process that the contents of a memory at a drawing destination are not changed before and after the drawing process regardless of the contents of the memory.

Claim 28 (original): The image formation apparatus according to claim 27, wherein

the drawing omission determination unit determines that the drawing process can be omitted when the color density is the lowest and also when the method is a logical sum (OR) among the drawing attributes of a pattern concerning the graphical drawing instruction.

Claim 29 (original): The image formation apparatus according to claim 23, wherein

the drawing omission determination unit determines that the drawing process can be omitted when a memory at a drawing destination is in an initialized state.

Claim 30 (original): The image formation apparatus according to claim 23, further comprising an output status flag for each graphical drawing instruction, wherein the selection unit sets an output status flag corresponding a certain graphical drawing instruction to set that graphical drawing instruction valid, wherein

the drawing omission determination unit determines whether the drawing process can be omitted based on the state of the output status flag.

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 10

Dkt. No. 2271/71058

Claim 31 (original): The image formation apparatus according to claim 30, wherein

the drawing omission determination unit determines that the drawing process can be omitted when the output status flag is not set and when the drawing attribute of a pattern concerning the graphical drawing instruction does not change the contents of a memory at a drawing destination before and after the drawing process when the memory is in an initialized state even when the drawing process is carried out..

Claim 32 (original): The image formation apparatus according to claim 30, wherein

the drawing omission determination unit determines that the drawing process can be omitted when the output status flag is not set, when the color density is the lowest, and when a method for performing the drawing process is a replacement (SET) among the drawing attributes of a pattern concerning the graphical drawing instruction.

Claim 33 (original): The image formation apparatus according to claim 30, wherein

the drawing omission determination unit determines that the drawing process can be omitted when the output status flag is not set, when the color density is the lowest and also when a method for performing the drawing process is a logical sum (OR) among the drawing attributes of a pattern concerning the graphical drawing instruction.

Claim 34 (original): The image formation apparatus according to claim 30, wherein

the drawing omission determination unit determines that the drawing process can be omitted when the output status flag is not set, when the color density is the lowest, and when a method for performing the drawing process is an exclusive logical sum (XOR) among the

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 11

Dkt. No. 2271/71058

drawing attributes of a pattern concerning the graphical drawing instruction.

Claim 35 (original): The image formation apparatus according to claim 30, wherein

the drawing omission determination unit determines that the drawing process can be omitted when the output status flag is not set and when the modification method is a logical product (AND) among the drawing attributes of a pattern concerning the graphical drawing instruction.

Claim 36 (original): The image formation apparatus according to claim 30, wherein

the output status flag indicates whether a certain graphical drawing instruction has been made valid for each graphical drawing instruction concerning an image for one page.

Claim 37 (original): The image formation apparatus according to claim 30, further comprising a dividing unit that divides one page into a specific number of determination regions, and the output status flag is provided for each determination region, and

the drawing omission determination unit determines whether the drawing can be omitted based on the status of the output status flag for each determination region to which a drawing region concerning the graphical drawing instruction belongs.

Claim 38 (original): The image formation apparatus according to claim 37, wherein the dividing unit divides the one page into the determination regions based on bands.

Claim 39 (original): The image formation apparatus according to claim 23, wherein

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 12

Dkt. No. 2271/71058

the graphical drawing instruction concerns a pattern of a color, and the drawing omission determination unit determines whether the drawing process can be omitted for each color plane of the color.

Claim 40 (original): The image formation apparatus according to claim 23, wherein

the drawing omission determination unit determines whether the drawing process can be omitted when the graphical drawing instruction corresponds to a graphic pattern.

Claim 41 (original): The image formation apparatus according to claim 23, wherein

when a pattern concerning the graphical drawing instruction is an image pattern, the drawing omission determination unit detects continuous pixels of the same color within the image pattern, and determines whether the drawing process can be omitted for each portion of continuous pixels.

Claim 42 (original): The image formation apparatus according to claim 23, wherein

when a pattern concerning the graphical drawing instruction is an image pattern, the drawing omission determination unit determines whether the drawing process can be omitted of the image pattern in a word length unit.

Claim 43 (original): The image formation apparatus according to claim 23, wherein

the output unit outputs the other graphical drawing instructions to the image formation apparatus one-by-one.

Hiroshi ISHIIHARA, S.N. 10/661,320  
Page 13

Dkt. No. 2271/71058

Claim 44 (original): The image formation apparatus according to claim 23, further comprising a drawing data memory that stores the other graphical drawing instructions, wherein

the output unit outputs the other graphical drawing instructions stored in the drawing data memory to the image formation apparatus altogether.

Claim 45 (original): The image formation apparatus according to claim 24, further comprising:

a receiving unit that receives the drawing instructions from an external source; and

an interpreter that converts the drawing instructions into the graphical drawing instructions of a format which is suitable for the drawing process.

Claim 46 (currently amended): A drawing processing method comprising:

(a) determining by a drawing processing apparatus whether drawing process corresponding to a graphical drawing instruction, from a plurality of graphical drawing instructions, can be omitted by an image formation apparatus, based on a drawing attribute of a pattern corresponding to the graphical drawing instruction; and

(b) making the graphical drawing instruction invalid if it is determined in (a) that the drawing process can be omitted by the image formation apparatus, and making other graphical drawing instructions valid.

Claim 47 (original): The drawing processing method according to claim 46, wherein

the determining includes determining that the drawing process can be omitted when the drawing attribute of a pattern concerning the graphical drawing instruction does not change the contents of a memory at a drawing destination before and after the drawing process regardless of

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 14

Dkt. No. 2271/71058

the contents of the memory.

Claim 48 (original): The drawing processing method according to claim 47, wherein

the determining includes determining that the drawing process can be omitted when it is determined from the drawing attribute of a pattern concerning the graphical drawing instruction and a method for performing the drawing process that the contents of a memory at a drawing destination are not changed before and after the drawing process regardless of the contents of the memory.

Claim 49 (original): The drawing processing method according to claim 46, wherein

the determining includes determining that the drawing process can be omitted when a memory at a drawing destination is in an initialized state.

Claim 50 (original): The drawing processing method according to claim 46, wherein

the determining includes determining whether the drawing process can be omitted based on a state of an output status flag that is set when a certain graphical drawing instruction is made valid.

Claim 51 (previously presented): The drawing processing method according to claim 50, wherein

the determining includes determining that the drawing process can be omitted when the output status flag is not set and when the drawing attribute of a pattern concerning the graphical drawing instruction does not change the contents of a memory at a drawing destination before

Hiroshi ISHIIHARA, S.N. 10/661,320  
Page 15

Dkt. No. 2271/71058

and after the drawing process when the memory is in an initialized state even when the drawing process is carried out..

Claim 52 (original): The drawing processing method according to claim 51, wherein

the output status flag indicates whether a certain graphical drawing instruction has been made valid for each graphical drawing instruction concerning an image for one page.

Claim 53 (original): The drawing processing method according to claim 51, further comprising dividing one page into a desired number of determination regions, wherein the output status flag is provided in each determination region, and

the determining includes determining whether the drawing can be omitted based on the status of the output status flag for each determination region to which a drawing region concerning the graphical drawing instruction belongs.

Claim 54 (original): The drawing processing method according to claim 53, wherein the dividing includes dividing the one page into the determination regions based on bands.

Claim 55 (original): The drawing processing method according to claim 46, wherein

the graphical drawing instruction concerns a pattern of a color, and the determining includes determining whether the drawing process can be omitted for each color plane of the color.

Claim 56 (original): The drawing processing method according to claim 46, wherein the

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 16

Dkt. No. 2271/71058

graphical drawing instruction corresponds to an image pattern, and

the determining includes detecting continuous pixels of the same color within the image pattern, and determining whether the drawing process can be omitted for each portion of continuous pixels.

Claim 57 (original): The drawing processing method according to claim 46, wherein the graphical drawing instruction corresponds to an image pattern, and

the determining includes determining whether the drawing process can be omitted from the image pattern in a word length unit.

Claim 58 (previously presented): A program storage medium tangibly embodying a computer program that makes a computer execute:

(a) determining whether drawing process corresponding to a graphical drawing instruction, from a plurality of graphical drawing instructions, can be omitted by an image formation apparatus, based on a drawing attribute of a pattern corresponding to the graphical drawing instruction; and

(b) making the graphical drawing instruction invalid if it is determined in (a) that the drawing process can be omitted by the image formation apparatus, and making other graphical drawing instructions valid.

Claim 59 (previously presented): The program storage medium according to claim 58, wherein

the determining includes determining that the drawing process can be omitted when the drawing attribute of a pattern concerning the graphical drawing instruction does not change the

Hiroshi ISHIIHARA, S.N. 10/661,320  
Page 17

Dkt. No. 2271/71058

contents of a memory at a drawing destination before and after the drawing process regardless of the contents of the memory.

Claim 60 (previously presented): The program storage medium according to claim 59, wherein the determining includes determining that the drawing process can be omitted when it is determined from the drawing attribute of a pattern concerning the graphical drawing instruction and a method for performing the drawing process that the contents of a memory at a drawing destination are not changed before and after the drawing process regardless of the contents of the memory.

Claim 61 (previously presented): The program storage medium according to claim 58, wherein the determining includes determining that the drawing process can be omitted when a memory at a drawing destination is in an initialized state.

Claim 62 (previously presented): The program storage medium according to claim 58, wherein the determining includes determining whether the drawing process can be omitted based on a state of an output status flag that is set when a certain graphical drawing instruction is made valid.

Claim 63 (previously presented): The program storage medium according to claim 62, wherein the determining includes determining that the drawing process can be omitted when the output status flag is not set and when the drawing attribute of a pattern concerning the graphical drawing instruction does not change the contents of a memory at a drawing destination before

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 18

Dkt. No. 2271/71058

and after the drawing process when the memory is in an initialized state even when the drawing process is carried out..

Claim 64 (previously presented): The program storage medium according to claim 62, wherein the output status flag indicates whether a certain graphical drawing instruction has been made valid for each graphical drawing instruction concerning an image for one page.

Claim 65 (previously presented): The program storage medium according to claim 62, further comprising dividing one page into a desired number of determination regions, wherein the output status flag is provided in each determination region, and

the determining includes determining whether the drawing can be omitted based on the status of the output status flag for each determination region to which a drawing region concerning the graphical drawing instruction belongs.

Claim 66 (previously presented): The program storage medium according to claim 65, wherein the dividing includes dividing the one page into the determination regions based on bands.

Claim 67 (previously presented): The program storage medium according to claim 58, wherein the graphical drawing instruction concerns a pattern of a color, and the determining includes determining whether the drawing process can be omitted for each color plane of the color.

Claim 68 (previously presented): The program storage medium according to claim 58, wherein

Hiroshi ISHIHARA, S.N. 10/661,320  
Page 19

Dkt. No. 2271/71058

the graphical drawing instruction corresponds to an image pattern, and

the determining includes detecting continuous pixels of the same color within the image pattern, and determining whether the drawing process can be omitted for each portion of continuous pixels.

Claim 69 (previously presented): The program storage medium according to claim 58, wherein the graphical drawing instruction corresponds to an image pattern, and

the determining includes determining whether the drawing process can be omitted from the image pattern in a word length unit.

Claim 70 (previously presented): The information processing apparatus of claim 1, wherein when the graphical drawing instruction is made invalid, no drawing operation is performed based on the graphical drawing instruction.